

### **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

#### **Listing of Claims:**

1-17. (Canceled)

18. (Currently Amended) Disintegrating bullet in the form of a jacketed bullet, the bullet ~~(1)~~ comprising ~~two~~ a pair of bullet cores, of which ~~one~~ a bullet core ~~(3; 24)~~ consists/comprises, in solid form, ~~of~~ a metallic material suitable for bullets, characterised in that ~~the second~~ another bullet core ~~(4; 22)~~ consists of/comprises powder ~~(5; 23)~~ made from a ceramic-materials material, in that ~~the~~ a particle size of the powder ~~(5; 23)~~ is between 5  $\mu$ m and 1 mm, and in that the powder is compressed so as to be without cavities.

19. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the solid bullet core ~~(3)~~ forms/is disposed in the tail ~~(12)~~ of the bullet ~~(1)~~.

20. (Withdrawn and Currently Amended) Disintegrating bullet according to claim 18, characterised in that the solid bullet core ~~(24)~~ is arranged in the nose ~~(25)~~ of the bullet ~~(20)~~ and forms the bullet tip ~~(27)~~.

21. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that ~~the ceramic powder~~ powder of the ceramic material ~~(5; 23)~~ is at least one of aluminium oxide, ~~or~~ zirconium oxide, ~~or~~ and silicon nitride.

22. (Previously Presented) Disintegrating bullet according to claim 18, characterised in that when the powder is compressed it is mixed with binders or with cavity-filling material.

23. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that each of the bullet cores ~~(3, 4; 22, 24)~~ are is introduced into the jackets ~~(2; 15; 24)~~ in prefabricated form or ~~are is~~ compressed in the jacket.

24. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the solid core ~~consists of~~ comprises compressed balls or granules.

25. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the solid core ~~consists of~~ comprises sintered material.

26. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the bullet jacket ~~(2; 15; 21)~~ has predetermined breaking points ~~(11; 30)~~.

27. (Currently Amended) Disintegrating bullet according to claim 26, characterised in that the predetermined ~~predetermined~~ breaking points ~~(11; 30)~~ extend in the direction of the bullet axis ~~(10; 29)~~.

28. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the material of the bullet jacket ~~(2, 15; 21)~~ is comprises copper, alloys thereof, plated steel, soft iron or zinc/tin alloys.

29. (Currently Amended) Disintegrating bullet according to claim 18, characterised in that the bullet ~~(1, 20)~~ has a spherical indentation ~~(13; 32)~~ in the tail region ~~(12; 31)~~.

30. (Withdrawn and Currently Amended) Disintegrating bullet according to claim 18, characterised in that the bullet ~~(20)~~ has a sharp edge ~~(33)~~ on its outer perimeter.

31. (Withdrawn and Currently Amended) Disintegrating bullet according to claim 18, characterised in that the bullet ~~(20)~~ has holding grooves ~~(34)~~ on its outer perimeter.

32. (Withdrawn and New) Disintegrating bullet according to claim 18, characterised in that the solid bullet core is disposed in the tail of the bullet, and the solid bullet core and the jacket are integral.

33. (Withdrawn and New) Disintegrating bullet according to claim 32, characterised in that the jacket has been formed by deep-drawing from the material of the tail core, and surrounds a nose core which comprises compressed powder and forms the bullet tip.

34. (New) A disintegrating bullet in the form of a jacketed bullet, the bullet comprising:

- a solid bullet core made from a metallic material;
- another bullet core made from a powder of a ceramic material;
- wherein a particle size of the powder is between 5  $\mu\text{m}$  and 1 mm; and
- wherein the powder is compressed so as to be without cavities.

35. (New) A disintegrating bullet according to claim 34, wherein the solid bullet core is disposed in the tail of the bullet.

36. (New) A disintegrating bullet according to claim 34, wherein the powder of the ceramic material is at least one of aluminium oxide, zirconium oxide, and silicon nitride.

37. (New) A disintegrating bullet according to claim 34, wherein the bullet jacket has predetermined breaking points.